

Publication DCH-1234

Revised: September 2003

Authority: Public Act 368 of 1978, as amended by Public Act 195 of 1986

and Public Act 15 of 1989.

This publication was supported by Grant/Cooperative Agreement Number U57/CCU506738-10 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

This booklet was adapted from:

What You Need to Know About Breast Cancer
U.S. Department of Health & Human Services
National Institutes of Health
National Cancer Institute
NIH Publication 00-1556
Revised August 2000

Additional copies of this publication (DCH-1234) may be ordered from:

Michigan Department of Consumer & Industry Services

Bureau of Health Services

Attn: Carmen Wiggins

P.O. Box 30454

Lansing, MI 48909 Phone:517-335-1763

Fax: 517-335-4886

Breast Cancer: What You Need to Know Before Treatment

Michigan Department of Community Health

Cancer Prevention and Control Section

Revised September 2003

PATIENT RECEIPT OF INFORMATION

Signing this document is NOT a consent to treatment of any kind.
I hereby certify that I have (PATIENT'S NAME)
this day, received my copy of the brochure, (DATE)
"BREAST CANCER: WHAT YOU NEED TO KNOW BEFORE TREATMENT,"
given to me by (PHYSICIAN'S NAME)
SIGNED BY

Signing this document bars a patient from subsequently bringing a civil action against the physician providing the brochure based on failure to obtain informed consent, but only in regard to information pertaining to alternative forms of treatment of breast cancer, and the advantages, disadvantages, and the risks of each method.

This Booklet Is for You

We put together this information for women like you who have been told that they have breast cancer. Although men also can develop breast cancer, it is very rare that they actually do. In fact, only about 1,300 men in the United States are diagnosed with breast cancer each year. That's why the information in this booklet is directed toward women.

You can show this information to your friends or family members.

We wrote this booklet to help women and their families and friends better understand breast cancer. We hope it will encourage all readers to learn more about this disease. The booklet contains information on breast cancer, including:

- the symptoms of breast cancer;
- how it is diagnosed;
- the treatments that are available;
- how people live with this disease; and
- the medical terms you may want to know.

However, no booklet can answer all your questions, and no booklet can replace talks with doctors, nurses, and other members of your health care team.

You can use this information to ask questions.

In the front of this booklet is a list of questions that you may want to ask your doctors as you learn more about your disease. There are also questions included in specific sections of this booklet.

By law, a doctor was supposed to give this to you.

The Michigan Breast Cancer Informed Consent Law (Public Act 368 of 1978, as amended) requires Michigan physicians to provide this brochure to all persons who have been diagnosed as having breast cancer.

Let us know that you got this booklet.

Please sign the form in the front of this booklet. This will let us know that your doctor has followed Michigan law and done two things: 1) given you this booklet, and 2) explained to you the different ways in which your breast cancer can be treated.

Table of Contents

QUESTIONS TO ASK YOUR DOCTOR	1
FINDING OUT ABOUT BREAST CANCER	2
People Do Survive Breast Cancer	2
Why Did I Get Breast Cancer?	3
What Does NOT Increase Your Risk of Getting Breast Cancer?	3
What COULD Increase Your Risk of Getting Breast Cancer?	4
The Breasts	6
The Disease Called Cancer	7
Benign Tumors	7
Malignant Tumors	7
Diagnosis	8
How Does Your Doctor Find Out If You Have Breast Cancer?	8
Types of Biopsies	9
Questions to Ask Your Doctor About Having a Biopsy	10
Taking Time to Decide What to Do	11
Types of Breast Cancer	13
Carcinoma in Situ (Cancer That DOES NOT Spread)	13
Invasive Cancer (Cancer That CAN spread)	14
Other Types of Cancer That Are Less Common	14
Stages of Breast Cancer	15
TREATMENT CHOICES	16
Choosing Your Treatment	16
You May Have a Choice	17
You May Not Have a Choice	17
How to Get a Second Opinion	17
The Specialists Who Help Treat Cancer	18
Questions to Ask Your Doctor Before You Get a Second Opinion	18
Your Pathology Report	19

Types of Breast Cancer Treatment Choices	21
Questions to Ask Your Doctor About Clinical Trials	22
Surgery	23
Questions to Ask Your Doctor About Surgery	26
Radiation Therapy	33
Questions to Ask Your Doctor About Radiation Therapy	34
Chemotherapy	35
Questions to Ask Your Doctor About Chemotherapy	37
Hormone Therapy	39
Questions to Ask Your Doctor About Hormone Therapy	40
Clinical Trials (Research Studies)	41
Complementary Therapies and Alternative Treatments	43
Selecting Your Treatment	45
If You Have Early Stage (Stage I or Stage II) Breast Cancer	45
If You Have Later Stage (Stage III or Stage IV) Breast Cancer	46
AFTER TREATMENT	47
Living Your Life After Treatment	47
Follow-Up Care	47
The Importance of Early Detection	49
Michigan Cancer Consortium Recommendations for	
Breast Cancer Screening	50
Clinical Breast Exams	50
Mammograms	50
Examine Your Own Breasts – Every Month	51
What You Should Know About Breast Self-Examination	51
How to Examine Your Own Breasts for Changes	51
Coping with Breast Cancer	53
Support Services	55
Sources for Information Contained in This Booklet	56
MEDICAL TERMS YOU MIGHT NEED TO KNOW	57

Do not be afraid to ask your doctors questions — even if your doctors seem to be in a hurry. Let them know you need to talk. You do have a right to understand.

First, look on these pages for good questions to ask. Find out what is involved in:

• Getting diagnosed

- Having a biopsy (page 9)
- Getting a second opinion (page 18)

Getting treated

- Having different kinds of surgery (page 23)
- Having radiation therapy (page 34)
- Having chemotherapy (page 37)
- Having hormone therapy (page 39)
- Joining a clinical trial (a research study for new treatments) (page 41)

Then, look at the questions below. You can ask these questions to find out more about:

Getting treated

- When it comes to the kind of treatment I have, do I have a choice?
- If I can choose a treatment, what are my choices?
- What are the benefits of each type of treatment?
- What are the risks and side effects of each type of treatment?
- Will I need to change my normal activities during treatment? If so, for how long?
- Can I keep working during treatment?

• Recovery and life after treatment

- How will I look after treatment?
- Will I need to change my normal activities after treatment? If so, for how long?
- Can I keep working after treatment?
- Will I need help with healing and getting back on my feet? If so, can you refer me to a program that will help?
- How often will I need to have check-ups?
- Can you put me in touch with other women who have had a similar type of breast cancer treatment?
- If I want to discuss problems my family and I have in coping with breast cancer, can you suggest someone?
- Now that I have developed breast cancer, are my sister, daughter, and/or mother at risk, too? What should they be told? What should they do?

People Do Survive Breast Cancer

Breast cancer is serious, but more and more people do survive it.

Other than skin cancer, breast cancer is the most common *cancer* in women. But, with treatment, *survival rates* are higher than ever.

About 7,500 women in Michigan are diagnosed with breast cancer every year! When it is found and treated early, survival can be as high as 97 percent.

If you are worried, getting answers to your questions may help.

Finding out you have breast cancer can cause feelings of shock and stress, and you probably also have many questions. This booklet was written in the hopes of easing your stress by answering some of your questions.

Words that may be new to you are in *italics* in this booklet. If you read or hear a word that is new to you, you can turn to the section called "Medical Terms You Might Need to Know," which starts on page (57), to find out what it means.

Remember, breast cancer can be treated.

It is very important that you know breast cancer is a very treatable disease. There is often more than one way of treating it. Take some time. Get as much information as you need to help you make the treatment choices that are best for you.

There is life after breast cancer.

You also need to understand that breast cancer is not a death sentence. This may be one of the most frightening things you have had to face, but with the right treatment, most women survive and go on to live happy, productive lives.

Thousands of women in Michigan who have undergone treatment for breast cancer will not die of breast cancer and, in fact, will live well into old age.

Why Did I Get Breast Cancer?

What Does NOT Increase Your Risk of Getting Breast Cancer?

Doctors cannot explain why one woman gets breast cancer and another one does not. But, they do know that:

- You cannot get breast cancer by bumping, bruising or touching your breast.
- Breast cancer is **not** contagious. No one can catch breast cancer from another person.
- Having *cysts* (*fibrocystic changes*) in your breasts does **not** increase your risk of getting breast cancer.


What COULD Increase Your Risk of Getting Breast Cancer?

Scientists do not know exactly why breast cancer develops. But, they do know there are some things, called *risk factors*, which can increase a person's chance of getting the disease.

Research has shown that the following risk factors can increase an individual's chances of getting breast cancer:

- **Being a woman:** Being a woman is the main risk factor for getting breast cancer. White women are slightly more likely to develop breast cancer. African-American women are the second most likely, followed by Asian-American women, Hispanic women, and then Native American women.
- **Getting older:** Although most breast cancers are found in women over the age of 50, younger women **do** get breast cancer. The risk goes up for all women as they get older.
- Having breast cancer in the family: The risk of getting breast cancer increases for a woman whose mother, sister or daughter has had the disease. Cancer in male family members also can increase the risk.
- Carrying the gene: Recent studies have shown that about 10 percent of breast cancers are passed down through families. Most of these breast cancers are caused by changes (*mutations*) in specific genes called the *BRCA1* and the *BRCA2 genes*. Women who inherit these changed genes have a very high risk (60 to 80 percent) of getting breast cancer by the time they reach 70 years of age.
- Having had cancer in one breast: About 15 percent of women treated for cancer in one breast are likely to get cancer in the other breast later. But, remember: That means 85 percent of women treated for cancer in one breast do not get cancer in their other breast.
- Female hormones: Studies suggest that the longer a woman is exposed to estrogen (a female hormone), the greater the risk. That means you are at greater risk if you:
 - have your first child when you are over the age of 30;
 - have never had children;
 - start your first menstrual period before age 12;
 - stop your menstrual period after age 55; or
 - are on hormone replacement therapy for a long period of time.
- **Drinking alcohol:** Having more than an average of one drink per day seems to increase a woman's risk of getting breast cancer.

But, most women who develop breast cancer have none of the risks listed above, other than growing older. As you can see, much needs to be learned about what is causing most breast cancers.




The Breasts

There are different types of breast cancer, and each of them is named for the location in which it is found in the breast. (See page 13 of this booklet.)

So, to understand discussions about breast cancer, it is helpful to know the main parts of the breast.

- **Lobes and lobules:** Each of your breasts has 15 to 20 sections, arranged like the petals of a daisy. These are called *lobes*. Each lobe has smaller *lobules*.
- **Ducts:** Your breasts have *ducts* that link the lobes and lobules. These ducts connect the lobes to your nipple.
- **Nipple:** The nipple is located in the center of the dark area of skin in the center of each breast. This dark area is called the *areola*.
- Fat: Fat fills the spaces between the other parts of your breast. The amount of fat determines the size of the breast.
- **Muscles:** Muscles cover your ribs and lie under your breasts. But, they are not part of your breasts. They hold your breasts up.



The Disease Called Cancer

There are more than 100 different kinds of cancer. They all have one thing in common: All of them have abnormal cells that grow and destroy body tissue.

- Normally, healthy cells make up your body's tissues, and they grow, divide, and replace themselves in an orderly way. This process keeps your body in good repair.
- But, sometimes, cells can lose the ability to control their growth.
 - These abnormal cells can grow too fast and without any order, making too much tissue and forming *tumors*.
 - These tumors can be *benign* or *malignant*.

Benign Tumors

- These tumors are NOT cancer.
- They will not spread to other parts of your body, and they are seldom a threat to your life.
- Often, they can be removed with surgery.
- If they are removed, they are not likely to return.

Malignant Tumors

- These tumors ARE cancer.
- They can spread and kill nearby healthy tissues and organs.
- Cancer cells also can break away from a malignant tumor and enter the bloodstream and the *lymphatic system*.
 - This process of cancer spreading to other parts of the body is called *metastasis*.
- If you have a malignant cancer tumor in your breast and the cancer cells have had a chance to spread before the tumor is removed, the cancer may return.
- That is why it is important to find these tumors as early as possible, before the cancer has had a chance to spread.

Diagnosis

How Does Your Doctor Find Out If You Have Breast Cancer?

- 1. Personal history and a physical exam (asking questions and examining your breasts)
 - To diagnose breast cancer, a doctor will begin by doing two things:
 - asking about your personal health history and your family's health history, and
 - carefully examining your breasts and feeling for lumps (this is called *palpation*).

2. A mammogram and maybe an ultrasound (taking pictures)

Then, your doctor will ask you to get some pictures (images) taken of the inside of your breast.

- A mammogram: The first imaging test your doctor will send you for is a *mammogram*.
 - In this test, X-rays (pictures or images) will be taken of the inside of your breast.
 - This type of test can give both you and your doctor important information.
 - A mammogram can show any tumors you may have in your breasts that are still too small to be felt.
- An ultrasound (also called a sonogram): Not every breast cancer can be seen on a mammogram. Sometimes, it is hard to tell the difference on a mammogram between a solid tumor and a fluid-filled cyst. That is why your doctor may order an *ultrasound* to help determine the difference.
 - Ultrasounds use sound waves to create a picture of the inside of your breasts on a monitor, like a TV screen.
 - Tissues with different densities reflect sound waves differently, making it easier to tell a cyst from a tumor.
 - This procedure does **not** hurt.

3. A biopsy (taking a sample of breast tissue)

If the results of the personal history, the physical exam, and the imaging tests indicate you may have cancer, your doctor will recommend a *biopsy* to make the final diagnosis.

- A biopsy is the only way to be sure about the cancer.
- Your doctor will decide the type of biopsy to be done, depending upon the size of the lump or cyst in your breast.
- A *pathologist* can use cells from the biopsy test to determine whether there are any cancer cells that need further evaluation and treatment.

Types of Biopsies

• Fine Needle Aspiration

- In this procedure, the doctor uses a thin needle to remove fluid or a small amount of tissue from your breast lump. This process is called *aspiration*.
- This can show if the lump is just filled with fluid or if it is a solid mass.
 - If it is filled with fluid, it is probably just a cyst.
 - If it is solid, it may be cancer.
- This test may be done in a doctor's office. You are awake.
 - A local anesthetic is used on your skin.
 - Most women do not feel any pain.
 - Some do feel a little pain.
 - After the biopsy, you can leave and go on with your day.
- This biopsy may leave a small scar.

• Core Needle Biopsy

- The core biopsy is a type of *needle biopsy*.
 - It is performed with a device that works like an ear-piercing instrument.
 - The device propels a needle very rapidly through the lesion (lump).
 - A special notch in the needle traps a sliver of tissue for examination.
- Samples obtained with core biopsy are large enough to be cut into thin slices and examined under a microscope.
- Some doctors believe the diagnosis a core needle biopsy provides is more reliable than the diagnosis from a fine needle aspiration.
- This procedure can be done under local anesthetic. It takes only a few minutes.
- Most women who have had the procedure report only minor pain.
- After the biopsy, you can leave and go on with your day.
- This biopsy may leave a small scar.

• Stereotactic Needle Biopsy

- If the lesion cannot be felt by hand, a stereotactic needle biopsy can be done.
- Special equipment will take X-rays of your breast from different angles.
 - This equipment enables the physician to place the needle precisely into the tumor, even if the tumor is as small as a pea.
 - Calculations are done by a computer to find the exact spot of the lump.
- In this procedure, you lie on your stomach.
 - Your breast points down through a hole in the table.
 - Your breast is flattened (compressed) a bit so a good X-ray can be taken.
- You are awake.
- A local anesthetic is used on your skin. But some women do feel some pain.
- After the biopsy, you will need to keep an ice pack on the biopsy site, but you can leave and go on with your day.
- This biopsy may leave a small scar.

• Excisional Biopsy

- In an *excisional biopsy*, a surgeon performs a minor operation to take out all of the lump or suspicious area.
- This biopsy is done in a surgical setting.

You are given sedation to make you feel drowsy and/or a local anesthetic.

It is outpatient surgery, so you do not have to spend the night.

- The biopsy takes about an hour.
- It causes minimal post-operative pain that goes away in a few days.
- You can usually begin doing non-strenuous work the day after the biopsy.

You should not lift heavy objects for a few weeks.

- After the biopsy, you will be drowsy.

You will need someone with you to help you get back home.

- The incision usually heals within a couple of weeks.
- There will be a scar.

• Excisional Biopsy with Wire Localization

- This is the same procedure as the excisional biopsy, but with an extra step (*wire localization*) added.
- It is used when the lump is small, difficult to feel, and difficult to locate.
- It is also used if there is an abnormal area on the mammogram.
- In this procedure, a hollow needle is placed in the breast while X-ray pictures or an ultrasound are being taken to guide the needle to the lump or suspicious spot.
- A thin wire is then put in through the needle, and the needle is removed.
- The wire is left in, so the surgeon can use the wire to locate the suspicious area in the breast for an excisional biopsy.

Questions to Ask Your Doctor About Having a Biopsy

- What kind of biopsy will I have?
- When and where will I have the biopsy?
- How soon will I have the biopsy?
- What can I expect from the procedure?
- Will I need to be admitted to the hospital?
- Will the biopsy hurt?
- Will there be a scar?
- Will there be anything, such as lifting, that I should not do after the biopsy?
- When can I go back to work?

Taking Time to Decide What to Do

If the biopsy shows you have cancer, you doctor will suggest a treatment plan. This treatment may be scheduled to begin right away, or it may be scheduled for a later date.

Take some time to stop, think and get more information. Here's why:

- Treatment is something you cannot reverse.
- You have to live with it after it is done.
- You will want to feel like you made the very best choice you could.

Here's what you can do:


- 1. Get a second opinion if you want.
 - Ask your doctor to recommend another provider who can give you a very good second opinion about your type of cancer.
 - Many doctors will refer you to another expert in their field.
 - Most doctors do not mind if you ask to get another point of view.
 - Call the American Cancer Society to find out where you can go for another opinion.
 (See "Sources for Information Contained in This Booklet" on page 56 of this booklet.)
 - Look for another doctor who also knows about treating breast cancer:
 - a doctor who has the most up-to-date information about treating breast cancer;
 - a doctor who has a lot of experience treating breast cancer; and
 - a doctor who shows an interest in you and is willing to answer your questions.
 - Check with your insurance company about your options in having them pay for a second opinion.

2. Do your own research.

- Talk with other people who are well informed about breast cancer. (See "Sources for Information Contained in This Booklet" on page 56 of this booklet.)
- Talk to breast cancer survivors.
 - Just remember that each person is different.
 - What is good for one person, may not work for another.
- If you go to the Internet, remember that not all information on the Internet is reliable.
 - Get the facts from reliable sources.
 - A good place to start is to visit the World Wide Web sites listed on page 56 under "Sources for Information Contained in This Booklet."

3. Take some time to decide, but don't put off treatment for too long.

- Two to three weeks should not make a difference.
- If you do go for a second opinion:
 - Your two doctors may agree, or they may suggest different treatments.
 - If they suggest different treatments, you may take one doctor's advice over the other doctor's advice, or you may go back to one or both doctors with more questions.
- The most important thing is to make the decision that you believe is right for you.



Types of Breast Cancer

There are several kinds of breast cancer. The most common types are:

Breast cancer that does not spread, and

Breast cancer that can spread.

Carcinoma in Situ (Cancer That DOES NOT Spread)

- This is cancer that has stayed inside the ducts or lobules where it began and has **not spread** to other cells.
- It is not considered invasive. But, it does mean changes have taken place in your body that increase the chance of getting an invasive cancer, later on in life.
- Death from this type of cancer is rare.
- There are two types of breast carcinoma in situ:
 - Ductal carcinoma in situ
 - Ductal carcinoma in situ is located in the ducts that lead to the nipple.
 - It is the most common type of non-invasive breast cancer.
 - It is diagnosed when malignant cells are found inside the ducts.
 - The cells have not spread through the walls of the ducts or into the fatty tissue of the breast.

- Lobular carcinoma in situ

- Lobular carcinoma in situ is located in the lobular tissue (the lobes and lobules).
- It is not breast cancer itself. But, it is considered a **risk factor** for breast cancer.
- It begins in the lobules, but does not go through the lobule walls. This is good.
- Research shows that when lobular carcinoma *in situ* is found, there is a 20 to 30 percent chance of developing invasive breast cancer during the next 30 years in either breast.

Invasive Cancer (Cancer That CAN Spread)

• Invasive (or infiltrating) ductal carcinoma

- This cancer starts in a duct of the breast and then breaks through the wall of the duct into the fatty tissue of the breast.
- It can spread to other parts of the body.
- About 80 percent of all breast cancers in women are cancers that start in the ducts of the breast.

• Invasive (or infiltrating) lobular carcinoma

- This cancer starts in the lobules and then breaks through the lobule walls.
- It can spread to other parts of the body.
- About 10 percent to 15 percent of all breast cancers are invasive cancers of the lobule.

Other Types of Cancer That Are Less Common

- Paget's disease of the nipple
 - This is a cancerous growth on the nipple that looks like scaling.

• Inflammatory breast cancer

- With this type of cancer, the skin is red, feels warm, and may thicken.
- It causes the skin of the breast to look like an orange peel.

Stages of Breast Cancer

You may need more tests to help your doctor determine whether your cancer has spread.


If, based upon your *biopsy*, your doctor diagnoses your lump as cancer, he or she may order other special tests to learn more about your cancer. These tests will help to find out whether or not the cancer has spread from your breast to other parts of your body.

These tests may include:

- getting a sample from the lymph nodes under your arm;
- chest X-rays;
- blood tests; and/or
- scans (such as bone scans and/or CT scans of the chest, abdomen or pelvis).

These tests help your doctor tell the extent, or stage, of your disease.

They are very important to help decide the best treatment for you. Doctors use the following system for saying **how big** the tumor is and **how far** it has spread. This is called **staging**.



Stage 0

- Non-invasive/in situ breast carcinomas or
- Paget's disease of the nipple

Stage I

- The tumor is no larger than 2 centimeters (about 1 inch) in size.
- The cancer has not spread beyond the breast.

Stage II

- The tumor is from 2 to 5 centimeters (about 1 to 2 inches) in size.
- The cancer may have spread to one, two or three lymph nodes under the arm.
- Even if the tumor is smaller than 2 centimeters, if it has spread to a lymph node under the arm, it is still a stage II cancer.

Stage III

- The tumor is larger than 5 centimeters (about 2 inches) in size.
- At this stage, the cancer may have spread to four or more lymph nodes under the arm or the chest wall.

Stage IV

- The cancer has spread to other organs of the body, most often the bones, liver, lungs, or brain.

Choosing Your Treatment

Today, we can find cancer earlier and treat it better than we ever could treat it before. The following overview will give you a general idea of the things you need to know as you decide what to do.

Don't worry if you feel a bit confused by the new words and concepts presented here. Most people do, at first. This information will make it easier for you to understand your doctor's recommendations, and arrive at the decision that is best for you.

The kind of treatment you can choose will depend upon many factors, including:

- the type of breast cancer you have;
- the specific features of your cancer cells;*
- whether your cancer has spread;
- your age;
- whether you have been through *menopause* (sometimes called the change of life);
- your general health; and
- whether a hospital near you can do the treatment or whether you may have to travel far away for treatment.

There are four standard kinds of treatment.

Your doctor will discuss the treatments you can choose, based upon your own situation. One or more of these treatments may be used for you. It depends upon what you need and want. The four ways of treating breast cancer are:

- **1. Surgery** (removing the cancer cells with an operation);
- **2. Radiation therapy** (killing the cancer cells with high doses of strong X-rays);
- **3. Chemotherapy** (killing the cancer cells with drugs); and
- **4. Hormone therapy** (stopping the cancer cells from growing with drugs).

Each of these four treatments is described in more detail later in this booklet.

^{*} This information is on the pathology report from your biopsy. (See "Your Pathology Report" on page 19 of this booklet.)

You May Have a Choice

The majority of women will have a choice of various breast cancer treatments.

If your team of doctors decides you can have a choice of treatments, it means that one way of treating you and your particular cancer may work just as well as another.

- If you can have a choice, you will be able to decide which of these treatments
- or combination of treatments you would rather have.
- Your doctors will let you know the risks and benefits of each treatment.

You May Not Have a Choice

Because of their particular type of cancer, some women may not have a choice of treatments.

Even if your team of doctors decides there is only one best way to treat your cancer, you can use the following information to help you understand more about your particular treatment.

- Before your treatment starts, you may want to ask a second doctor for an opinion about the kind of cancer you have and how it can best be treated.
- It is okay if you want to ask for a second opinion. A short delay of two to three weeks will not reduce the chances that your treatment will be successful.

How to Get a Second Opinion

To get a second opinion, your doctor can do the following:

- Discuss your case with other doctors who treat breast cancer.
- Refer you to another doctor who also knows about breast cancer treatment.
- Refer you to a breast cancer clinic, where you can talk with a team of doctors and other health care providers and learn about breast cancer and breast cancer treatment options.

The Specialists Who Help Treat Cancer

- Before making any decision or starting any treatment, you may wish to talk with each doctor who may be giving you a particular type of treatment.
- You have a right to get **second opinions** from other doctors if you have any doubts or questions about which treatment is best for you.
- You may want to consult with the following types of specialists:
 - A surgeon is a doctor who removes cancer with an operation.
 - A *radiation oncologist* is a doctor who gives cancer patients special X-rays to kill their cancer cells.
 - A *medical oncologist* is a doctor who selects drugs that either kill cancer cells or stop them from growing.
- You are entitled to know and compare all your choices.
- No competent doctor will object to your listening to another viewpoint.

Questions to Ask Your Doctor Before You Get a Second Opinion

- 1. Could you give me the names of specialists you think I should see? (You also may want to check your insurance coverage to be sure the names given to you are doctors that are on your insurance plan. If they are not, you may have to make other arrangements for payment before you see a doctor that is not part of your insurance plan.)
- 2. Is there an entire breast cancer **team** in the hospital where you practice?
- 3. Tell me about your experience in dealing with breast cancer. What about the other doctor you are recommending? What is his or her experience with breast cancer?

Your Pathology Report

What Is a Pathology Report?

The pathology report is the report that tells your doctor two things:

- 1. Whether you have cancer, and
- 2. If you do, what type of cancer you have.

The pathologist is a doctor who specializes in finding out what disease a person may have by studying cells and tissues under a microscope. The pathologist can tell whether or not the cells and tissue taken from your biopsy are malignant (cancerous) or benign (not cancerous).

A report is sent to your surgeon detailing the findings of this study. Your surgeon, and other doctors involved in your care, will use this report to help in making plans for your treatment.

Most pathology reports have your name listed either at the top or bottom of the report. This is followed by specific information that is found in most reports of this kind.

Understanding Your Pathology Report

Although the information is precise and clear, the pathology report is written in a language for your doctor. You should ask your doctor to explain any information on the report that you do not understand. Parts of the pathology report include the following:

- **1. Demographics:** Patient and doctor information, such as name, address, birth date, and date of procedure.
- **2. Anatomical Pathology Diagnosis:** This is the most important part of the report. It includes the pathologist's diagnosis and all important information that will be needed for your treatment, including:
 - histology (the type of cancer and the arrangement of the cancer cells);
 - **grade** (how abnormal the cells appear and how aggressive the cancer appears to be); and
 - stage (the size of the cancer and how far it has spread).
- **3. Procedures/Addenda:** Other measurements that mean you may have invasive breast cancer, such as *estrogen/progesterone* receptor status and HER2-neu status
- **4.** Clinical History/Pre-Operative Diagnosis: The first diagnosis, before the pathologist took a closer look and made a more detailed diagnosis.
- **5. Procedure:** How the cells were collected (what kind of biopsy was done).
- **6. Specimen(s) Received:** What was received by the pathologist following the procedure and when it was received.
- **7. Gross Description:** Often called "the gross." What the pathologist saw, measured, and felt when examining the tissue with the naked eye (without a microscope).
- **8. Microscopic Description:** What the pathologist saw when examining the tissue under the microscope.



Types of Breast Cancer Treatments

As mentioned previously, there are four main ways to treat breast cancer:

- 1. surgery;
- 2. radiation therapy;
- 3. chemotherapy; and
- 4. hormone therapy.

These four ways can be divided into two main groups of treatments

— local and systemic.

1. Local treatments treat the breast area only.

Local treatments get rid of cancer cells in the breast area, alone. These treatments help to get rid of cancer where it starts and begins to spread — the breast and the underarm area. The two local treatments are:

- surgery
- radiation therapy

2. Systemic treatments flow through the whole body.

Systemic treatments get rid of cancer cells in the rest of the body. These treatments are helpful when the cancer has spread beyond the breast. The two systemic treatments are:

- chemotherapy
- hormone therapy

Treatments may be combined or used alone, depending upon the type of cancer you have and the stage of your cancer.

• Systemic treatment before local treatment:

- Sometimes people may need a systemic treatment (such as chemotherapy or hormone therapy), **before** a local treatment (such as surgery).
- In this case, systemic treatment would be done to shrink the tumor before the surgery is done.

• Systemic treatment after local treatment:

- Other people may have a systemic treatment (such as chemotherapy or hormone therapy) **after** their local treatment (such as surgery or radiation therapy).
- In this case, systemic treatment would be done to prevent cancer from coming back after the surgery or radiation therapy.

• Systemic treatment alone:

- Systemic treatment also can be used alone.
- When it is used alone, systemic treatment would be done simply to treat cancer that has spread.

You may want to try a new treatment in a research study.

- New and old forms of breast cancer treatment are always being tested, evaluated, and improved through research studies called *clinical trials*. (See page 41 for more about clinical trials.)
- If your breast cancer has just been diagnosed, you may want to ask your doctor if being part of one of these clinical trials would be right for you.

Questions to Ask Your Doctor About Clinical Trials

- 1. What is involved in terms of tests and the treatments?
- 2. How long does the treatment last?
- 3. What results can I reasonably expect in my own case? Could this new treatment really help me?
- 4. What are the currently accepted treatments? How do they compare to the treatment used in this study?
- 5. What would this cost? How would I manage any costs?
- 6. What follow-up tests are needed? Will I always need to be available for follow-up testing?

Treatment Choices — **Surgery**


What to do? Remove the whole breast or just remove the lump? Here is what research has shown:

- Women who just have the lump removed and then have radiation therapy live just as long as women who have their entire breast removed.
- Studies continue to show this even after 20 years of research on those women.
- That means women who need surgery often can choose between having:
 - A *lumpectomy*, in which just the lump (the tumor), not the entire breast, is removed. (This is also called *breast conserving surgery*.)
 - A *mastectomy*, in which the entire breast is removed.

Breast Reconstruction

Sometimes, women choose to have their breast rebuilt. This is called breast reconstruction.

- Today, almost any woman can have reconstruction of her breast.
- Breast reconstruction may be done at the same time the breast is removed. (This is called immediate reconstruction.)
- Breast reconstruction also can be done at a later time. (This is called delayed reconstruction).
- If you think you may want to have your breast rebuilt, talk with a plastic surgeon **before** your mastectomy.
 - Be aware that there are different ways to rebuild the breast.
 - The plastic surgeon will discuss these different ways with you.
 - If you decide you do want reconstruction done, the plastic surgeon will work closely with your surgeon.



Lumpectomy

A lumpectomy removes just the lump (the tumor that has the cancer) and not the entire breast. This means you can conserve or save your breast.

• Whenever possible, a lumpectomy is the recommended treatment.

How a Lumpectomy Is Done

- A surgeon removes the breast lump and the area right around it to be sure that all of the cancer is removed. This area around the lump is called **the margin**. It is the edge of the normal tissue.
- If cancer cells are still at the margin of the tissue that's been removed, the surgeon can do another surgery to remove them.
- Most of the time, doctors will want you to have radiation therapy after a lumpectomy.
 This is to try to ensure that any cancer cells that may have spread to an area near the breast will be killed.

Advantages of a Lumpectomy

• Your entire breast will not be removed in a lumpectomy. The surgeon will remove only enough of your breast to get rid of the lump and an edge of normal tissue around it.

Disadvantages of a Lumpectomy

- You will need additional treatment with radiation therapy.
- There is a risk of arm swelling if doctors also removed some of the lymph nodes under your arm. This is called an *axillary lymph node* dissection because it is done in the underarm (*axilla*) area. (See page 29.)

Reasons Not to Have a Lumpectomy

Most women would want to keep their breast, if possible. Doctors agree. But, there are some reasons **not** to have surgery that conserves your breast:

• Reasons that have to do with cancer:

- You have a very large tumor.
- You have two or more areas with cancer.
- You have already had radiation to the breast or chest area.
- Your mammograms suggest that there may be very small spots of cancer throughout your breast (called diffuse microcalcifications).

Other reasons:

- You have a body connective tissue disorder that would make your body more sensitive to the side effects of radiation.
- You are pregnant and you would need radiation while still pregnant.
- You do not think you will like the way your breast will look after a lumpectomy.

Mastectomy

There are two types of mastectomies: 1) total simple mastectomy, and 2) modified radical mastectomy.

Total Simple Mastectomy

• How a Total Simple Mastectomy Is Done

- In a *total simple mastectomy*, the entire breast is removed, along with the nipple and some skin.
- The lymph nodes are not removed.

• Advantage of a Total Simple Mastectomy

- You probably will not need radiation therapy.

Disadvantage of a Total Simple Mastectomy

- Your entire breast and some of your surrounding skin will be removed. (Be aware that you can usually have breast reconstruction surgery to make it look like you still have a breast.)

Modified Radical Mastectomy

• How a Modified Radical Mastectomy Is Done

- In a *modified radical mastectomy*, the entire breast is removed, along with the nipple, some skin, and some underarm lymph nodes.
- The muscles are not removed.

• Advantage of a Modified Radical Mastectomy

- Radiation therapy is needed in only special circumstances.

• Disadvantages of a Modified Radical Mastectomy

- Your entire breast and some of your surrounding skin will be removed. (Be aware that you can usually have breast reconstruction surgery to make it look like you still have a breast.)
- You may have arm swelling if doctors also removed some of the lymph nodes under your arm (called an axillary node dissection).

Other Effects of a Mastectomy

- You may feel that your body is not balanced afterwards, especially if you have relatively large breasts.
- After a mastectomy, some women choose to wear a breast form, also called a prosthesis.
- Other women choose to have a plastic surgeon reconstruct their breast.
- Each choice has its advantages and disadvantages. What is right for one woman may not be right for another.

Questions to Ask Your Doctor About Surgery

Questions to Ask About Having a Lumpectomy

- 1. Is a lumpectomy something I could choose to have? Why or why not?
- 2. How much breast tissue will be removed?
- 3. How will my breast look after treatment? Can you show me pictures?
- 4. Where and how big will the scar be?
- 5. How much pain should I expect in the first few days after the procedure?
- 6. Do I need to arrange to have someone help me with daily activities?
- 7. How long before I can go back to my regular work and my regular activities?
- 8. Will there be any long-term effects of a lumpectomy?

Questions to Ask About Having a Mastectomy


- 1. Is a lumpectomy an option for me instead of a mastectomy? Why or why not?
- 2. Does a mastectomy decrease the chances of the cancer coming back?
- 3. How will I look after a mastectomy if I decide against reconstruction?
- 4. Can you show me pictures?
- 5. Can you refer me to a plastic surgeon so I can discuss what I can do to change the way my breast will look? (This can involve surgery to reconstruct or rebuild the breast.)
- 6. What kind of reconstruction procedure do you think would be best for me?
- 7. Who can I talk to about my concerns related to appearance, dating, pregnancy, etc.?

Lymph Node SurgeryWhy Lymph Node Surgery Is Done

- Whether you have had all or part of your breast removed, your doctors need to know whether the cancer has spread to your lymph nodes.
- If you have cancer cells in the lymph nodes, this does increase the chance that cancer cells have spread to the blood stream and then to other parts of the body.
- Women who have a type of cancer that does not spread (such as ductal carcinoma *in situ* or lobular carcinoma *in situ*) do not need their lymph nodes checked.

Treatment Choices

Lymphatic fluid returns to main circulation



How Lymph Node Surgery Is Done

Your doctor may give you a choice between two different procedures (*axillary lymph node dissection* and *sentinel lymph node biopsy*) to check whether the cancer has spread to your lymph nodes.

Axillary Lymph Node Dissection (Standard Lymph Node Surgery)

- This surgery can be done through a separate small incision in the armpit at the time of a lumpectomy. It also can be done through the main surgical incision at the time of a mastectomy.
- The surgeon will remove a portion of tissue that has 10 to 20 lymph nodes in it.
- The tissue that is removed will be sent to the pathologist for examination.
- Each node will be examined under the microscope to see if there are any cancer cells.
- Your doctor will receive a pathology report three to 10 days after surgery. This report will let your doctor know how many nodes were positive (had cancer cells in them).
- This kind of lymph node surgery takes about an hour. The surgeon is very careful to avoid injuring any of the several important nerves that pass through this area.
- After the surgery, a drain may be placed into the armpit to help remove blood and fluid that drains out from the operated area.
- You will have to care for the incision and the drains the same as you will have to care for your lumpectomy or mastectomy.
 - You will need to keep them dry until the incision begins to heal and the drains are removed.
 - The drains may be in place from three to six days.
- This kind of surgery may cause your arm to swell. (See page 32 to find out more about swelling of the arm and what to do if it happens.)

Sentinel Lymph Node Biopsy (Alternative Lymph Node Surgery)

- Some surgeons offer a procedure called sentinel lymph node biopsy as another way to determine whether cancer has spread to the lymph nodes.
- During this type of surgery, the surgeon will inject a blue dye around the tumor.
- The lymphatic fluid in that area will carry the dye to the first node in its path (the sentinel node). The dye will help the surgeon locate the sentinel node.
- Once the sentinel node has been identified, the surgeon will remove just that one particular lymph node from your armpit.
- The pathologist will take a close look at this node to see if cancer has reached it.
- If no cancer cells are found, the surgeon can assume that the other nodes are free of cancer, as well.
- In that case, the surgeon will not need to do a full axillary lymph node dissection (remove the usual 10 to 20 lymph nodes). This means you will not run the risk of damage to nerves and lymph ducts, which often occurs with axillary lymph node dissection.
- This kind of surgery is less likely to make your arm swell. That is because the surgeon just removes the one sentinel node instead of many lymph nodes.

Why some doctors will suggest sentinel lymph node biopsy and others will not:

- Doctors typically remove lymph nodes to find out whether cancer has spread. Some doctors are still not sure whether removing and examining this one special lymph node works as well as removing and examining 10 to 20 other lymph nodes. If cancer is spreading, they don't want to miss it.
- The sentinel lymph node biopsy procedure is relatively new. Researchers have not had a chance to study the procedure over a period of time to be more certain that it works.
- Some doctors are willing to do sentinel lymph node biopsy as part of a research study (also called a clinical trial).

After Lymph Node Surgery — What to Expect and What to Do

Possible Numbness

- Because nerves are cut during lymph node surgery, you may have numbness and tingling in your chest, under your arm, and in your shoulder and arm.
- These problems usually go away within a few weeks, but some numbness may be permanent.
- The numbness should not interfere with your normal daily activities.

• Shoulder stiffness

- The skin in your breast area may feel tight, and the muscles of your arm and shoulder will feel somewhat stiff.
- Your doctor, nurse, or physical therapist can recommend exercises to help you regain movement and strength in your arm and shoulder and to help reduce any pain and stiffness in your neck and back.
- Carefully planned exercises should be started as soon as your surgeon says you are ready, often within a day or so after surgery.
- The first exercises you do will be gentle, and you will be able to do them in bed.
- Gradually, your exercises will become more active.
- Regular exercise should become part of your normal activities.
- Most patients regain full movement and strength within a few months.
- If you have a mastectomy and immediate breast reconstruction, your exercise needs will be slightly different than if you had not had the immediate breast reconstruction. Ask your plastic surgeon.
- Your plastic surgeon and your surgeon will explain the best exercises for you.

Possible swelling in the arm and hand

- The flow of lymph fluid in that arm will be slowed.
- In some women, this means that fluid builds up in their arm and hand, causing swelling. This is called *lymphedema*.
- The removal of lymph nodes also means that you may be more likely to get an infection in your arm.
- Most women do not have a big problem with lymphedema. However, no one can predict who will get it or when.
- Lymphedema can start right away after surgery, or months or years later.
- Do not ignore feelings of tightness or swelling in the arm. Call your doctor if this happens.

What to Do To Lower the Risk of Lymphedema (Arm Swelling)

- To reduce or prevent fluid build-up after surgery, you can:
 - Do certain exercises your doctor or a physical therapist will show you.
 - Rest with your arm propped up on a pillow so that your arm is raised above the level of your heart.
- To prevent infections and protect your arm and hand on the treated side:
 - Avoid having blood drawn or injections or vaccinations given in that arm.
 - Avoid having blood pressures taken on that arm.
 - Wear gloves when gardening.
 - Protect the arm from sunburn, burns while cooking, and harsh chemicals.
 - Use insect repellant to avoid bites and stings.
 - Avoid tight elastic sleeves or jewelry on that arm.
 - Carry heavy purses or packages on the other arm.
 - Use an electric shaver for your underarms.
 - If you get a cut, wash it right away, and then use an antibacterial medication and cover it.
 - Check for redness and soreness. If you see any, report it to your doctor immediately.
- If lymphedema becomes a problem later on, you should tell your doctor, who may suggest other solutions.

Treatment Choices — **Radiation Therapy**

In radiation therapy, a radiation oncologist uses high doses of radiation to kill any cancer cells that might remain in the breast area after surgery.

How Radiation Therapy Is Done

Radiation therapy can be done in one of three ways:

1. External radiation

In external radiation treatment, the radiation comes from a machine **outside** your body.

2. Implant radiation

In *implant radiation* treatment, the radiation is actually put **into** your breast (implanted) through a small tube.

3. Brachytherapy

In *brachytherapy* treatment, radiation is put into an inflatable balloon that can be put into the site of the lumpectomy during surgery. The balloon is then inflated, and radiation is placed into the balloon with a catheter.

Doctors may use more than one type of radiation therapy for some women, depending upon their cancer.

An extra boost of radiation is usually given to the tumor site. The boost may be either external (using a machine) or internal (using an implant).

Advantages of Radiation Therapy

• Your breast will not have to be removed.

Disadvantages of Radiation Therapy

- Treatment with external radiation is usually done five days a week for six to seven weeks.
- Treatment with brachytherapy radiation is done two times a day for one week.
- Radiation therapy is usually done only at large hospitals or medical centers. So, you may have to travel outside your community for treatment.
- If you are pregnant, you cannot have radiation therapy.
- If you have collagen-vascular disease, you may not be able to have radiation therapy.

Effects of Radiation Therapy Treatment

- You may become tired as the therapy continues, and you may need to rest more than usual.
- Skin reactions in the breast area, such as reddening that looks like a sunburn, are common. So skin care is important at this time. But, you should not use lotions or creams on your skin without your radiation oncologist's advice.
- There may be long-term changes in the appearance and texture of your breast and the skin over your breast.
- You can have arm swelling if radiation is given to the armpit area. This is because radiation may affect lymph node drainage.

Questions to Ask Your Doctor About Radiation Therapy

- 1. Why do I need radiation therapy?
- 2. How is the radiation oncologist involved if therapists give the radiation treatments?
- 3. How will I know if the treatments are working?
- 4. Can I continue my usual work or exercise schedule?
- 5. Can I miss a few treatments?
- 6. Can I arrange to be treated elsewhere if I am traveling?
- 7. What side effects, if they occur, should I report right away?
- 8. Can I expose the treated area to the sun?
- 9. Will I be able to get pregnant and have a child after treatments?

Treatment Choices — Chemotherapy

Chemotherapy is treatment with drugs (chemicals), given by mouth or into a vein. It is used to kill cancer cells.

Why Chemotherapy Is Done

- Chemotherapy is a *systemic therapy*. Unlike a local therapy, it travels through the bloodstream to kill cancer cells anywhere they may be in your body.
- If you have chemotherapy **after** surgery, it is called *adjuvant therapy*.
 - It is used to kill hidden cancer cells.
 - These cells usually do not cause symptoms or show up on X-rays or tests, but they can start new tumors in other parts of the body.
- Chemotherapy can kill these cells.
- If you have chemotherapy **before** surgery, it is called *neo-adjuvant therapy*.
 - Sometimes, oncologists give patients systemic chemotherapy before surgery to try to shrink the tumor.
 - This could allow a woman who would have needed a mastectomy to possibly have a lumpectomy and avoid losing a breast.

How Chemotherapy Is Done

There are many different drugs that are used to kill cancer. Often, several drugs are given together during chemotherapy.

- Your doctor will help you decide which drugs are best for you and your type of cancer.
- Doctors give chemotherapy in cycles, with a recovery time after each treatment.
- The total time for chemotherapy treatments is usually three to six months.

Advantages of Chemotherapy

- This treatment can kill any unsuspected cancer cells that could have spread to other areas of your body and so cannot be treated by surgery or radiation therapy.
- It can sometimes be used to shrink a large breast tumor and let a woman have a lumpectomy instead of a mastectomy.

Disadvantages of Chemotherapy

- The side effects you experience from chemotherapy will depend upon the drugs you are given. You should remember that each person reacts to each drug differently.
- Chemotherapy affects rapidly growing cells, such as blood-forming cells and those cells that line your digestive tract. As a result, you may have side effects, such as:
 - a lower resistance to infection;
 - less energy;
 - a loss or a gain of appetite;
 - nausea and vomiting (there are medications that can help this);
 - diarrhea and/or constipation;
 - mouth sores; and
 - an allergic reaction.
- You also may lose your hair, both on your scalp and on the rest of your body.
- Pre-menopausal women taking chemotherapy often have the symptoms of menopause:
 - hot flashes;
 - vaginal dryness;
 - pain during intercourse; and
 - irregular periods.
- For some women, chemotherapy may result in permanent sterility. This means some women will not be able to have a baby after treatment with these drugs.

What Else You Should Know About Chemotherapy

- If you think you might be pregnant, tell your doctor before having chemotherapy.
 - The cancer-killing drugs used may harm unborn babies. So, you should tell your doctor if you know you are pregnant or think that you might be.
 - If you are not pregnant, you must use effective forms of birth control while you are undergoing chemotherapy.

• Some side effects of chemotherapy can be treated.

- Several drugs can be used to prevent and reduce nausea and vomiting.
- A new group of drugs called *growth factors* can help reduce tiredness and infections by:
 - helping the bone marrow recover and keeping your blood count from going too low, and
 - helping your red blood cells get back to normal.

• Some side effects of chemotherapy may last.

- Chemotherapy is the best option for many women to treat and control breast cancer.
- Once you finish chemotherapy, the side effects you may have usually will go away.
- Sometimes, some side effects may last. This will depend upon:
 - the drugs that are used, and
 - whether you have other treatments, such as radiation and hormonal treatments, in addition to chemotherapy.
- Discuss this with your doctor when you know which drugs will be recommended.
- Remember, each person can react to drugs in different ways.

Questions to Ask Your Doctor About Having Chemotherapy

- 1. Do I need chemotherapy? Why?
- 2. What drugs do you recommend?
- 3. What are the risks and benefits of chemotherapy?
- 4. How successful is this treatment for the type of cancer I have?
- 5. How will you be able to tell if the treatments are working?
- 6. What side effects will I have?
- 7. Can I work while I am having chemotherapy?
- 8. Can I travel on short business or pleasure trips between treatments?
- 9. What other limitations can I expect?



Treatment Choices — **Hormone Therapy**

Hormone therapy is a way to stop the growth of tumors by blocking the *hormones* that make them grow. Like chemotherapy, hormone therapy acts on any cancer cells that exist throughout your whole body.

Why Hormone Therapy Is Done

- This treatment works for a breast cancer that is growing because a hormone (estrogen) is causing it to grow.
- Estrogen is a hormone produced by your ovaries. This hormone can cause some breast cancers to grow.
- Women whose tumors test positive for hormones can be given drugs that block the effects of estrogen or lower the estrogen levels in their body.

How Hormone Therapy Is Done

- You may be able to take Tamoxifen.
 - The most commonly used hormone therapy drug is Tamoxifen. It works to block estrogen from feeding the tumor and making it grow.
 - You would take Tamoxifen daily in pill form, usually for five years.
 - If you are still having menstrual cycles, you would need to use an effective form of birth control.

• You may be able to take Femara or Arimidex.

- Tamoxifen has been the standard hormone treatment for years. But, clinical trials have now shown that there are other hormone agents that also are effective against breast cancer. They are: *Femara* (*letrozole*) and *Arimidex* (*anastrozole*).
- These hormones have only been approved for use in women who have finished going through menopause.
- Both drugs have been shown to provide as much survival time as Tamoxifen. This means one seems to be just as good as the other in treating breast cancer.
- But, we still have not studied these drugs long enough to know some things we want to know. Research is still being done.

• You will have to stop any hormone replacement therapy you are on.

- The usual hormones given after menopause (change of life) might make your breast cancer cells grow.
- So, you should not take replacement estrogen or progesterone (hormone replacement therapy) without talking with your oncologist

Advantages of Hormone Therapy

• Most hormone therapy drugs can be taken in the form of a pill.

Disadvantages of Hormone Therapy

Hormone therapy could cause:

- hot flashes, vaginal dryness, and other symptoms of a change of life (menopause), regardless of your age;
- infertility and/or irregular periods, meaning some women may not be able to have a baby after this kind of treatment;
- endometrial cancer (you should discuss this possibility with your doctor); and
- some weight gain.

Questions to Ask Your Doctor About Hormone Therapy

- 1. Did the tests on my tumor show that the cells were sensitive to hormones? (Were they estrogen receptor positive or progesterone receptor positive?)
- 2. Should I be treated with hormonal therapy or with chemotherapy? Why?
- 3. How will hormone therapy affect my chances of having children?
- 4. How will hormone therapy affect my ability to have sex?

Treatment Choices — Clinical Trials

A clinical trial is a research study that is done to find out about new treatments. Clinical trials can tell us if a new treatment works better, the same, or worse than the standard treatment. Your doctor might suggest that you join a clinical trial to help scientists get these answers.

What You Should Know About Clinical Trials

- All people who join a clinical trial are watched very closely and receive the best possible medical care.
- Being in a clinical trial means you might get a new and promising treatment earlier than you otherwise could get it.
- However, you can't be sure the treatment in a clinical trial will help you.
 - If a treatment does not seem to be helping you, your doctor can take you out of the study and give you standard treatment.
- If you choose to participate in a clinical trial, you can decide to stop participating in the trial at any time.

How Clinical Trials Work

- All new treatments being researched with a clinical trial have to go through three steps or phases:
 - **Phase I trial:** Tests the best way to give a new treatment and how much is a safe dosage;
 - Phase II trial: Tests how well the new treatment destroys cancer cells; and
 - **Phase III trial:** Compares the new treatment to the standard treatment.
- Each phase of a clinical trial builds upon information from earlier phases.
- **Remember:** Every successful treatment we have today started as a clinical trial, and the patients who participated were the first ones to benefit.

(For questions to ask your doctor about clinical trials, see page 22.)

What Researchers Are Studying in Clinical Trials

Research gives us hope in the fight against cancer. Here are some treatments that are being studied:

• Using Your Immune System to Fight Cancer (Immunotherapy)

- Your immune system is your body's natural defense against disease and infections.
- *Immunotherapy* uses the immune system to fight cancer or to decrease the side effects that might be caused from other cancer treatments.
- The immune system can be improved or strengthened with biological therapies.

• Using Artificial Antibodies to Fight Cancer (Monoclonal Antibodies)

- Antibodies are substances that your body makes to fight infections and diseases, including cancer.
- Monoclonal antibodies have two advantages in treating breast cancer:
 - They can be mass-produced in laboratories and not just made in the human body.
 - They may cause fewer side effects because they can target just the cancer cells. Most cancer drugs also affect other cells in the body. This is why you may feel sick when you are taking drugs to treat your cancer.

- Herceptin (Trastuzumab)

- *Herceptin* is the first monoclonal antibody drug used to treat women with breast cancer.
- It blocks a protein called *HER-2/neu*, a protein that is found on some breast cancer cells and that affects the growth of those cells.
- These breast cancers are called HER-2/neu positive.
- Herceptin is only approved for use in women with cancers that have spread.
- However, there are studies testing the use of Herceptin in women with HER-2/neu early breast cancers.

• Using Your Own Bone Marrow to Fight Cancer (Bone Marrow Transplant)

- A bone marrow transplant is a research procedure sometimes suggested as a treatment for breast cancer.
- Autologous bone marrow transplantation is used for breast cancer.
 - In this procedure, some of the patient's own bone marrow is removed with a needle.
 - The bone marrow is then frozen and stored while the patient gets high-dose chemotherapy.
 - The stored bone marrow is given back to the patient after the treatment is done, so the patient's body can use it to produce the needed blood cells.
- It is not a standard treatment option. It has not been proven that high-dose chemotherapy is better than standard chemotherapy.
- We also do not know if there are people with certain types or stages of breast cancer who may benefit from this procedure.
- Its possible use for you should be discussed with your doctor.

Treatment Choices — Complementary Therapies and Alternative Treatments

As you begin to think about getting the best treatments, you will surely hear discussions about *complementary or alternative therapies* (non-traditional treatments) such as acupuncture, antioxidants, macrobiotic diets, relaxation, and imagery.

None of these have been proven to cure cancer. But, some can, in fact, help reduce pain, nausea, tiredness, or other side effects of cancer treatment.


It is important that you discuss any complementary or alternative therapy you may be taking or considering taking with your doctor **before** you start your cancer treatment to make sure it won't interfere with what your doctor is doing. **This includes any drug, vitamin, herb, or other remedy you are using or would consider using.**

What You Should Know About Complementary Therapies and Alternative Treatments

Friends or other persons may suggest that you use treatments that have not been recommended by your doctors. If they do, here are some things you should know:

- Some non-traditional treatments may be harmless. But, they still should not be used in place of the treatment your doctor recommends.
- Others, in addition to not working, may injure you or interfere with the treatment your doctor recommends.
- Some of these non-traditional treatments can be costly.
- Some herbal supplements (such as soy products) contain large quantities of estrogens that come from plants.
 - We still do not know for sure how plant estrogens can affect breast cancer cells and breast cancer treatments.
 - You should speak with your doctor before starting regular use of these plant estrogen products.

Remember: If you are using a non-traditional treatment, please let all of your doctors know what you are using and how often.



Selecting Your Treatment

If You Have Early Stage (Stage I or Stage II) Breast Cancer

- You can choose a local treatment.
 - Choices may include:
 - a mastectomy, or
 - a lumpectomy, followed by radiation therapy. (This is sometimes referred to as breast conserving or breast sparing surgery. Some of the lymph nodes under your arm probably will be removed.)
 - Whether you will need a mastectomy or a lumpectomy followed by radiation therapy depends upon many factors, such as:
 - the size and location of your tumor;
 - the type of cancer you have;
 - your age and your general health;
 - the size of your breast; and
 - your personal choice.
- After your local treatment, your doctor also may suggest systemic treatment.
 - Choices may include:
 - chemotherapy, or
 - hormone therapy.
 - This additional treatment is called adjuvant therapy.
 - It is used to help prevent the cancer from returning by killing undetected cancer cells that may remain in your body.
 - The choice of taking chemotherapy and/or hormone therapy depends upon many factors, including:
 - your age;
 - whether or not you have gone through your menopause;
 - whether or not the estrogen hormone makes your tumor grow; and
 - other considerations.

If You Have Later Stage (Stage III or Stage IV) Breast Cancer

- If you are diagnosed as having Stage III breast cancer:
 - You probably will have **both** local and systemic treatment.
 - Your local treatment may be surgery and/or radiation therapy.
 - Your systemic therapy will be chemotherapy and/or hormone therapy.

• If you are diagnosed as having Stage IV breast cancer:

- You will probably receive a systemic treatment.
- Your systemic therapy will be chemotherapy, hormone therapy, or both.
- You also may (or may not) need surgery or radiation therapy to control the breast tumor.
- If you have Stage IV breast cancer, your doctor also may want to use radiation to treat any cancer that has spread to other parts of your body.

Living Your Life After Treatment

It is normal to feel anxious when your active treatment ends. Some women say:

- They feel depressed.
- They don't want their treatment to end, because they miss being actively involved in fighting the cancer.
- They feel like they are left out in the cold after getting so much care and attention during treatment.

It may take some time to adjust to the change in your life. But, women do go on to recover and enjoy their lives as breast cancer survivors.

Follow-Up Care

Regular follow-up exams are very important after breast cancer treatment. Ask your doctor how often you should have these done.

It is normal to be afraid of what these follow-up exams may find. But, it also is important to remember that these exams can help to find any problems so they can be treated right away.

Your doctor will tell you how often you should have check-ups. These check-ups may include:

- an exam of your chest, underarm and neck;
- a complete physical exam;
- blood tests;
- a mammogram; and
- scans and other X-rays that your doctor will order as needed.

Women with Breast Implants

- Women with breast implants may or may not need *mammography*. This depends upon whether or not they still have breast tissue left.
- If an implant is present in a breast that has breast tissue, routine mammography is recommended.

After a Lumpectomy

- After a lumpectomy, your doctor may recommend that you have a mammogram on the treated breast every six months for a year or two.
- After that, your doctor may recommend you have a mammogram on the treated breast every year.
- You should still continue to get routine mammograms at regular intervals on your untreated breast.

After Reconstructive Surgery

- Women who have had reconstructive surgery following removal of **all breast tissue** do not need routine mammograms on the reconstructed side.
- If some breast tissue is remaining, your doctor may order a mammogram.
- You should still continue to get routine mammograms at regular intervals on your untreated breast.

The Importance of Early Detection

Breast cancer can be treated best before it has spread.

- That means that the earlier breast cancer is found and treated, the better your chances are for complete recovery.
- Keep this in mind:
 - Finding breast cancer does not have to mean that life is over.
 - Many women have found breast cancer, gotten it treated, and then gone on with their lives.
 - If cancer is found early, there may be choices for treatment.
- You need to continue to practice early detection after a breast cancer diagnosis. That's because once you have had breast cancer, you are at an increased risk for a second cancer.

Tell your friends and loved ones what you've learned about breast cancer.

- Share this information with your family and friends. It could save their lives.
- It is important that your family and friends know **all** women are at risk for breast cancer. Early detection gives them their best protection for survival.
- Every women should:
 - Practice monthly breast self-examinations.
 - Get a screening mammogram at regular intervals starting at age 40.
 - Have a yearly breast exam by a health care professional.

Check with your doctor if you have any of these symptoms:

- A lump or thickening in your breast or under your arm.
- A change in the size or shape of your breast.
- Discharge from your nipple, especially if it comes out by itself and stains your clothing.
- A change in the color or feel of the skin of your breast or nipple area, such as dimpling, puckering or scaling.
- Pain in your breast.

Remember, not all these symptoms mean cancer. But, if you notice any changes in your breasts, you should tell your doctor.

- Breast cancer can cause changes in your breasts.
- But, breast changes also can be caused by other problems that are not as serious as cancer.
- The only way to know for sure is to have the changes in your breasts checked by your doctor.

Mammograms and exams do help.

Breast cancer can cause one or more symptoms, or it can cause none at all.

The most common ways women find out they have breast cancer are:

- They find a lump or thickening in the breast, themselves.
- They have a mammogram that shows a change.
- Their doctor finds something in a yearly exam.

Sometimes, mammograms can miss the cancer.

- It is possible to have a mammogram and still not find a breast cancer that is really there.
- This does happen from time to time.
- Then, other tests can help find the cancer.

You know your own body. If you think something seems wrong, pay attention to it.

You may have a normal mammogram and still feel something that doesn't seem right, such as a lump or thickening in your breast.

Trust yourself. If **you** feel that there is something wrong, tell your doctor.

- Your doctor may not agree with you that your changes need to be checked. If so, find a doctor who will listen to you and do any necessary tests.
- If the changes you have noticed do turn out to be the result of cancer, the sooner you find out for sure, the better your chances are for getting it treated successfully.

Michigan Cancer Consortium Recommendations for Breast Cancer Screening

Clinical Breast Exams

- Beginning at age 20, every woman should have her breasts checked regularly by her doctor or other health care provider.
- After a woman turns 40, her doctor or other health care provider should do clinical breast exams every year.

Mammograms

- Beginning at age 40, women should receive yearly mammograms.
- Mammograms can find many breast cancers before they can be felt.
- Together, the thorough breast examination and the screening mammogram can detect most breast cancers in the early stages, when they are most easily treated.


Exam Your Own Breasts — **Every Month**

What You Should Know About Breast Self-Examination

- Women's breasts come in many sizes and shapes.
- Every woman's breasts change during her life because of age, monthly menstrual cycles, pregnancy, menopause, or the taking of birth control pills or other hormones.
- Therefore, women often are confused about what their breasts are supposed to feel like.
 - It is normal for your breasts to feel lumpy and uneven.
 - Sometimes, your breasts will be swollen and tender, especially right before your menstrual period.
- By doing monthly breast self-examinations, you can learn what is normal for your own breasts, and you will be more likely to find anything unusual that might be a warning sign of cancer.

How to Examine Your Own Breasts for Changes

- Ask your doctor to teach you how to perform breast self-exams, and then examine your own breasts every month.
- The best time to do self-breast exams is at the end of your menstrual period, sometime during the first week after you finish your period, when your breasts are the least swollen and tender.
- If you have already been through the menopause, pick a date of the month you can remember, and check your breasts on that date every month.
- If you do find changes, you should report them to your doctor immediately.



Coping with Breast Cancer

Breast cancer can change your life.

A breast cancer diagnosis can change your life and the lives of those close to you. It is natural for you and your family and friends to have many different and sometimes confusing emotions.

Talk with people who can help.

- Concerns about what the future holds are common. People also worry about tests, treatments, a hospital stay, medical bills, and the possibility that the cancer may come back. This is common.
- Talking with doctors, nurses, social workers, and other members of your health care team may help to calm your fears and ease confusion.

Ask questions. Try to play an active role in your care.

- You can take an active part in decisions about your medical care by asking questions about breast cancer and your treatment choices.
- You and your family members and friends may find it helpful to write down questions to ask your doctor as you think of them.
- Taking notes during visits to your doctor will help you remember what was said.
- You may find it helpful if one of your family members goes with you to your appointments and sits in as you talk with your doctor.
- After the visit, you and your family members will be able to discuss what you heard and clarify what the doctor said.
- Ask your doctor to explain anything that is not clear. Women often ask about:
 - the extent of their cancer:
 - how it can be treated;
 - how successful the treatment is likely to be; and
 - the risk other women in their family (including their daughters, sisters and mother) have of developing breast cancer.
- To help you prepare, use the questions we have included in the beginning of this booklet and in specific sections throughout the booklet as a guide of what to ask your doctor.

It is normal to be upset.

- You and the people close to you may feel frightened, angry or depressed after you are told about your cancer and even during your treatment.
- These are normal reactions that people have when faced with a serious health problem.
 - Sometimes, women who have had breast cancer are worried, especially after surgery, that the changes to their body will affect not only how they look, but also how other people feel about them.
 - They may worry about holding a job, caring for their family, or starting new relationships.
 - Concerns about sex, how your body will look during and after treatment, and feeling like a woman also can be upsetting.

It may help to talk with others who can listen or help. This would include:

• People close to you.

- Many women who have had breast cancer have found that they cope with their emotions better if they can talk openly about their illness and their feelings with those who love them.
- Sharing feelings with those people who are close to you, including your children, can help everyone feel more at ease and can open the way for others to show their concern and offer their support to you.

• Other women who have been through the same thing.

- Many patients feel that it helps to talk with others who have faced problems like theirs.
- You can meet other breast cancer patients through self-help and support groups.
- In addition, your health care providers may be able to put you in touch with other women who have had similar experiences with breast cancer.

• Professionals who can help.

- Your doctor is the best person to give advice about treatment, working or limiting daily activities.
- If it is difficult to talk with your doctor about your feelings or other very personal matters, it may be helpful to speak with a nurse, a social worker, a counselor, or a religious advisor.

• But, not everyone can help.

- Not everyone in your family may be ready to talk about their feelings at the same time. This may create additional stresses within your relationships.
- Try to accept that each person handles this in her or his own way. It does not mean they do not care.

Support Services

Getting support may make things seem a little easier.

Learning to live with the changes that are brought about by having breast cancer is easier for you and for those who love you when you have helpful information and support services.

• You can talk with a social worker at your hospital or clinic.

- Often, a social worker at your hospital or clinic can suggest local and national groups that will help you with rehabilitation, emotional support, financial aid, transportation, or home care.
- A hospital social worker also can help you find out about breast cancer programs in your community.

• You can contact the American Cancer Society.

- The American Cancer Society has many services for cancer patients and their families.
- Their Reach to Recovery program offers special help for all breast cancer patients.
 - Trained volunteers, who have had breast cancer themselves, will visit you and lend emotional support to you before and after your treatment.
 - They will talk with you and share their own experiences with breast cancer treatment, rehabilitation, and breast reconstruction or fitting of breast forms.
 - Anyone can refer you to the Reach to Recovery program at the time of your surgery. Your neighbor or your friend can refer you, as well as your social worker or nurse.
- Your local American Cancer Society office may have additional information about local programs and services. You can find your local office by looking in the phone book or contacting the national office. To contact the national American Cancer Society office:
 - call them toll-free at 800-227-2345, or
 - visit their Web site at www.cancer.org.

• You can contact the National Cancer Institute.

- The National Cancer Institute is the nation's primary agency for cancer research.
- The National Cancer Institute offers free information about support programs and services for breast cancer patients and their families through its Cancer Information Service.
- To contact the National Cancer Institute's Cancer Information Service:
 - call them toll-free at 800-4-CANCER (TTY at 800–332–8615 for deaf and hard of hearing callers) or
 - visit their Web site at http://cis.nci.nih.gov.

Remember: Breast cancer is very treatable!

Thousands of women in Michigan have undergone treatment for breast cancer and will not die of breast cancer. In fact, they will live well into old age, leading happy and productive lives.

Sources for Information Contained in This Booklet

American Cancer Society, Great Lakes Division

1755 Abbey Road

East Lansing, MI 48823-1907

Phone: 517-332-2222
Web site: www.cancer.org

Description: A nationwide community-based voluntary health organization dedicated to eliminating cancer through prevention, research, education, advocacy, and service.

National Alliance of Breast Cancer Organizations

9 East 37th St., 10th Floor New York, NY 10016 **Phone:** 888-80-NABCO **Web site:** www.nabco.org

Description: A national network that provides information and assistance to anyone with

questions about breast cancer. Also acts as a voice for breast cancer survivors.

National Cancer Institute

Office of Cancer Communications

National Institutes of Health

U.S. Department of Health and Human Services

Building 31, Room 10A24 Bethesda, MD 20892

Phone: 301-496-2351

Cancer Information Service: 800-4-CANCER (800-422-6237)

Web site: www.cancernet.nci.nih.gov

Description: A federal government agency for cancer research and training. Offers description

of clinical trials that are available for women with breast cancer.

Susan G. Komen Breast Cancer Foundation

5005 LBJ Freeway, Suite 250

Dallas, TX 75244

Phone: 800-IM AWARE (800-462-9273)

Web site: www.breastcancerinfo.com and www.komen.org

Description: A national organization that provides and promotes research and education. Offers

culturally diverse information about breast cancer.

Y-ME National Breast Cancer Organization

36964 Eagle Way

Chicago, IL 60678-1369

Phone: 800-221-2141 (24-hour hot line in English), 800-986-9505 (24-hour hot line in Spanish)

Web site: www.y-me.org

Description: A national organization that provides information and support, in both Spanish and

English, for people with breast cancer.

Adjuvant therapy [AD-ju-vant THER-a-pee]: Treatment given in addition to the primary treatment.

Areola [a-REE-o-la]: The area of dark-colored skin around the nipple.

Aspiration [as-per-AY-shun]: Removing fluid or tissue from a lump with a needle.

Axilla [ak-SIL-a]: The underarm.

Arimadex [a-RIM-a-dex]: A hormonal treatment drug that can be used to deprive a tumor of estrogen.

Axillary lymph node dissection: Surgical removal of some of the lymph nodes from under the arm.

Autologous bone marrow transplantation [aut-TOL-o-gus]: A procedure in which a person's own bone marrow is removed and stored, and then given back to that person after high-dose chemotherapy. This procedure can help prevent life-threatening side effects.

Benign [bee-NINE]: A growth that it is not cancer and, therefore, will not spread to other parts of the body.

Biopsy [BY-op-see]: The removal of a sample of tissue so it can be examined under a microscope to see if cancer cells are present.

- An excisional biopsy is surgery that is done to remove an entire lump.
- An incisional biopsy is surgery that is done to remove part of the tumor.
- A needle biopsy or aspiration is the removal of tissue or fluid with a needle.

Stereotactic needle biopsy [stereo-TACK-tik BY-op-see]: A procedure that can be done when a mass or abnormal area is too small to be felt, but can be seen on a mammogram. A computer finds the abnormal area so the doctor can use a needle to do a biopsy.

BRCA1 and BRCA2 genes: Changes in these genes increase a woman's risk of developing breast cancer.

Breast brachytherapy [Bray-kee-THER-a-pee]: A way to deliver radiation therapy by putting the radioactive substances directly into the breast.

Breast conserving surgery: Surgery to remove a cancer or abnormality in the breast, without removing the entire breast.

Breast reconstruction: A surgical operation in which a plastic surgeon restores the form and appearance of a breast after it has been totally or partially removed through a mastectomy.

Cancer [CAN-sir]: A term for more than 100 diseases that involve uncontrolled, abnormal growth of cells. Cancer cells can spread through the bloodstream and lymphatic system to other parts of the body.

Carcinoma [car-si-NO-ma]: Cancer that begins in the lining or covering tissues of an organ.

Carcinoma in situ [car-si-NO-ma in SY-too]: Cancer that involves only the cells in which it began and has not spread to other tissues.

- Ductal carcinoma *in situ* (also called "intraductal carcinoma") is found in the ducts of the breast.
- Lobular carcinoma *in situ* is found in the lobules of the breast.

Chemotherapy [kee-mo-THER-a-pee]: Treatment with anti-cancer drugs.

Clinical trial: Studies of cancer treatment. Each study is designed to answer scientific questions and to find better ways to treat patients.

Cyst [sist]: An abnormal sac within a tissue or organ, usually filled with fluid.

Duct: A tube in the breast through which milk passes from the lobes to the nipple.

Estrogen [ES-tro-jin]: A female hormone.

External radiation: Radiation therapy that uses a machine located outside the body to aim high-energy rays at the cancer.

Femara: A hormonal treatment drug to deprive a tumor of estrogen.

Fibrocystic changes: Nodularity (lumpiness) of both breasts, often accompanied by tenderness, that gradually increases with age until menopause and that may increase and decrease with the beginning and the end of the monthly menstrual cycle.

Growth factors: A group of drugs that help the bone marrow produce more blood cells.

HER-2/neu: A protein found on some breast cancer cells that affects their growth.

Herceptin (trastuzumab) [her-SEP-tin]: A monoclonal antibody drug that blocks the HER-2/neu protein that can be on some breast cancer cells, affecting their growth.

Hormone receptor tests: Laboratory tests done on breast cancer tissue that has been removed during surgery to determine whether the growth of the cancer cells in that tissue is affected by the presence of estrogen or progesterone.

Hormone replacement therapy: Hormones sometimes taken after menopause to relieve symptoms such as hot flashes and to prevent osteoporosis (thinning of the bone).

Hormone therapy: Cancer treatment that involves removing, blocking or adding hormones.

Hormones: Chemicals produced by certain glands in the body. Hormones control the way certain cells or organs act.

Immunotherapy [Im-MUN-o-therapy]: Therapy that uses the immune system, your body's natural defense system, against disease and infections.

Implant radiation: Radiation therapy that places materials that contain radiation into the breast through thin plastic tubes.

Inflammatory breast cancer [in-FLAM-a-tory]: A kind of breast cancer in which the breast is red, feels warm, and the skin may thicken to look and feel like an orange peel.

Lobe: A part of the breast; each breast contains 15 to 20 lobes, arranged like the petals on a daisy.

Lobule [LOB-yul]: A subdivision of the lobes of the breast; each lobule ends in dozens of tiny, milk-producing bulbs.

Local treatment: Radiation therapy or surgery that affects cells in the tumor and the area close to it.

Lumpectomy [lump-ek-to-ME]: Surgery that removes the breast lump. A lumpectomy usually is followed by radiation therapy.

Lymph [limf]: An almost colorless fluid in the lymphatic system channels that bathes body tissues and carries cells that help fight infection.

Lymph nodes: Small, bean-shaped organs located along the lymphatic system. Lymph nodes (also called lymph glands) filter bacteria or cancer cells that would otherwise travel through the lymphatic system. Lymph nodes are one of the first places where breast cancer may spread. They are located in the armpits and other areas of your body.

Lymphatic system [lim-FAT-ak]: The tissues and organs (including the bone marrow, spleen, thymus, and lymph nodes) that produce and store cells that fight infection; also the channels that carry lymph fluid.

Lymphedema [lim-fa-DEE-ma]: Swelling of the hand or arm caused by the extra fluid that may collect in tissues when lymph nodes are removed or blocked.

Malignant [ma-LIG-nant]: Cancerous. (See the definition for "cancer.")

Mammogram [MAM-o-gram]: An X-ray of the breast. Usually, a woman has two mammograms of each breast, one taken from the side and one from the top.

Mammography [mam-OG-ra-fee]: The X-ray procedure of taking a mammogram to detect breast tumors or other abnormalities in the breast.

Mastectomy [mass-TEK-ta-me]: Surgery to remove the breast.

Medical oncologist: A doctor whose specialty is treatment of cancer with medications (chemotherapy).

Menopause: The time of a woman's life when her menstrual periods stop; also called "change of life."

Metastasis [me-TAS-ta-sis]: The spread of cancer from one part of the body to another. Cells in the metastatic tumor (the second tumor) are generally like those in the original cancer.

Modified radical mastectomy [mass-TEK-ta-me]: Surgery to remove the entire breast, some of the skin, and some underarm lymph nodes; the muscles are left in place.

Monoclonal antibodies [mon-uh-CLO-nul]: Antibodies made in a laboratory that are used to seek out antigens of cancer cells and give treatment directly to those cancer cells.

Mutations [mew-TAY-shuns]: Changes in genes.

Neo-adjuvant treatment [nee-O AD-ju-vant]: Using drugs to shrink a tumor before surgery.

Oncologist [on-KOL-o-just]: A doctor who specializes in treating cancer.

Paget's disease of the nipple: A rare form of cancer that starts in the milk ducts and spreads to the nipple and areola. The nipple area can be crusty, red or draining.

Medical Terms You Alight Need to Know **Palpation** [pall-PAY-shun]: A simple technique in which a health care provider lightly presses with his/her hand(s) on the surface of the body to feel the organs or tissue underneath.

Pathologist [pah-THOL-o-just]: A doctor who identifies diseases by studying cells and tissues under a microscope.

Progesterone [pro-JES-ter-own]: A female hormone.

Prosthesis [pros-THEE-sis]: An artificial breast used to replace the appearance of a breast that has been removed during surgery.

Radiation oncologist [ray-dee-AY-shun on-KOL-o-just]: A doctor whose specialty is treating cancer with radiation (radiation therapy).

Radiation therapy [ray-dee-AY-shun THER-a-pee]: Treatment with high-energy rays from X-rays or other sources to kill cancer cells.

Risk factor: Anything that increases a person's chance of developing a disease.

Scans: Imaging tests that allow a physician to visualize various parts of the body to help determine whether cancer is present.

Sentinel lymph node biopsy [sen-TIN-al]: Locating the first lymph node (also called the sentinel node) through injecting a blue dye and/or radioactive tracer into the tumor site. Once the sentinel node has been identified, it is removed and biopsied. If there is no cancer in the sentinel node, no more nodes are removed.

Stage: The term used to describe how far the cancer has spread within the body.

Staging: The process of learning whether cancer has spread from its original site to another part of the body.

Surgeon: A doctor who performs operations.

Surgery: An operation.

Systemic therapy [sis-TEM-ak THER-a-pee]: Treatment that reaches and affects cells all over the body.

Total simple mastectomy [mass-TEK-ta-me]: Surgery to remove the entire breast, along with the nipple and some skin, but not the lymph nodes.

Tumor [too-MER]: An abnormal mass of tissue.

Ultrasound [UL-tra-sound]: A test that bounces sound waves off tissues and converts the echoes into pictures. Tissues with different densities reflect sounds waves differently, making it possible to tell the difference between a fluid-filled cyst and a solid mass.

Wire localization: A procedure where a lump or abnormal area that cannot be felt is located with a hollow needle. A wire is put through the needle and left there, and then the needle is removed. This helps the surgeon find the area to be removed during surgery.

X-ray: High-energy radiation used in low doses to diagnose diseases and in high doses to treat cancer.

Michigan Department of Community Health Breast Cancer Advisory Committee – Breast Cancer Informed Consent Workgroup

MDCH Breast Cancer Advisory Committee Co-Chairs

Helen Pass, MD

William Beaumont Hospital Royal Oak

Max Wicha, MD

Director
University of Michigan Comprehensive
Cancer Center
Ann Arbor

Breast Cancer Informed Consent Workgroup Members

Paul Adams, MD

Medical Director Genesys Hurley Cancer Institute Flint

Margaret Aguwa, DO, MPH

Department of Family Practice Michigan State University College of Osteopathic Medicine Family and Community Medicine East Lansing

Robert Boorstein, DO, FACOS

Assistant Clinical Professor of Surgery Michigan State University College of Osteopathic Medicine Michigan Osteopathic Association Farmington Hills

Jim Camburn, MS

Chief, Radiation Safety Section
Michigan Department of Consumer and
Industry Services
Lansing

Raouf Mikhail, MD, FACS

Surgical Oncologist American College of Surgeons Flint

Lisa Newman, MD, MPH, FACS

Director
Breast Care Center
University of Michigan
Division of Surgical Oncology
Ann Arbor

Vicki Rakowski, RN, ET

Vice President for Cancer Control American Cancer Society Great Lakes Division, Inc. East Lansing

Connie Szczepanek, RN, BSN

Administrator
Grand Rapids Community Clinical
Oncology Program
Grand Rapids

Karen Williams, PhD

Assistant Professor Michigan State University Obstetrics, Gynecology and Reproductive Biology East Lansing

Sherri Young, RT

Mammography Imaging Consultant Midland

Julie Zenger-Hain, PhD

Breast Risk Assessment
Oakwood Hospital
Department of Clinical Cytogenetics
Dearborn

Project Staff

E.J. Siegl, RN, OCN, MA

Project Lead
Oncology Nurse Consultant
Breast and Cervical Cancer
Control Program
Michigan Department of
Community Health
Lansing

Alan L. Bliss, BA

Graphic Designer
University of Michigan Comprehensive
Cancer Center
Health Media Research Laboratory
Ann Arbor

Carol L. Genee

Editor Michigan Public Health Institute Okemos

Sharolyn Gonzalez, RN, BSN, OCN

Oncology Nurse Consultant Holt

Lesa Monroe-Gatrell, BFA

Creative Director
University of Michigan Comprehensive
Cancer Center
Health Media Research Laboratory
Ann Arbor

Janet Ohene-Frempong

JO Frempong and Associates Elkins Park, PA



Cancer Prevention and Control Section Lansing, MI

"The Michigan Department of Community Health is an equal opportunity employer, services and program provider."

Number of copies: 14,500 Total printing cost: Cost per copy: